



RAM 3500/4500/5500
CHASSIS CABS

2011

Introducing the formidable family of 2011 Ram Chassis Cabs – with all-new interiors, all-new exterior styling, and an all-new spacious Crew Cab model. Look for everything to lighten the workload, from the new PTO-friendly instrument panel to the available Uconnect® Multimedia and Navigation. Power is exceptional: count on the 5.7-liter HEMI® V8 (standard on 3500) and the proven 6.7-liter Cummins® Turbo Diesel, standard engine for Ram 4500/5500 models – and available on 3500 models. Rounding out capability are the massive brakes on all models.

PRODUCT HIGHLIGHTS

- Best-In-Class⁽¹⁾ standard hp and torque from the 5.7-liter HEMI V8 with 5-speed automatic only (3500 only)
- Electronic Range Select (ERS), available on 5- and 6-speed automatic transmissions; enables the driver to manually shift the transmission
- Largest brake rotors in their class (4500/5500)
- On Dual Rear Wheel (DWR) 3500 Chassis Cab, the GVWR is now increased – from 12,500 lb to 13,000 lb
- All-new aerodynamic exterior design
- Full-size Crew Cab replaces Quad Cab®
- 180-amp alternator standard with diesel and available with Snowplow Prep Group HEMI V8 models
- New instrument panel-mounted auxiliary switch bank that includes four hardwired switches
- New integrated trailer brake controller – Available
- PTO Prep Package is upgraded to have programmable engine RPM when PTO is engaged. Single set PTO speed and torque converter lockup in PTO mode – Available
- Aluminum wheels – Available
- Urea emissions system added to diesel engine to meet new 2010 federal emissions standards
- New radios including Uconnect Multimedia and Uconnect Navigation – Available
- Premium Alpine® sound system includes a power amplifier – Available
- New heated seats on Laramie model – Standard
- New heated and cooled seats on Laramie model – Available
- New heated steering wheel on Laramie model – Standard

SAFETY/SECURITY

- Multistage front air bags⁽²⁾ – Standard
- Enhanced Accident Response System (EARS) – Standard
- Constant force retractors – Standard
- Brake-Park Interlock (with automatic transmission) – Standard
- Four-wheel disc antilock brakes (ABS) – Standard
- Largest-in-class brake rotors (4500/5500) with massive twin 66mm caliper pistons
- Unibelt three-point restraint system – Standard
- Height-adjustable driver and front-outboard passenger seat belt – Standard
- Energy-absorbing steering column – Standard

FLEET FEATURES

- Ambulance Prep Package – Available
- Heavy-Duty Snowplow Prep Group – Available
- ST Décor Group – Available
- Power Accessory Group – Available
- Power and Remote Entry Group – Available
- Diesel exhaust brake – Standard on diesel engine only
- 22-gallon mid-mounted fuel tank – Available with diesel engine only
- Daytime running lamps – Available
- Special “Low Volume” exterior paint – Available
- Vinyl Floor Covering – Standard
- 7 x 10-inch trailer tow mirrors – Standard
- Front-Passenger Air Bag Delete – Available
- Uconnect Phone – Hands-Free Communication System⁽³⁾ – Available

POWERTRAINS

Engines	Transmissions			Transfer Case	
	Six-Speed Manual with PTO	Five-Speed Automatic	Six-Speed AISIN Automatic-PTO	4x4 NV271	4x4 NV273
3500 only					
4x2, 5.7L HEMI® V8		S			
4x4 (383 hp @ 5600 rpm 400 lb-ft of torque @ 4000 rpm)		S		S	O
3500/4500/5500					
4x2, 6.7L Cummins® Turbo Diesel	S		O		
4x4 (305 hp @ 2,900 rpm 610 lb-ft of torque @ 1,600 rpm)	S		O	S	O

S = Standard. O = Optional.

DIMENSIONS⁽¹⁾/SPECIFICATIONS (60" CA/84" CA)

Ram 3500 Chassis Cabs	Regular Cab 4x2	Regular Cab 4x4	Crew Cab 4x2	Crew Cab 4x4
Exterior				
Wheelbase	143.1/167.3	143.1/167.3	172.0	172.2
Overall Length	234.3/258.3	234.3/258.3	263.2	263.2
Overall Height (Empty) maximum	78.7	78.6	79.1	79.0
Overall Width of Cab	78.9	78.9	78.9	78.9
Track				
— Front (DRW)	69.6	69.6	69.6	69.6
— Rear (DRW)	71.7	71.7	71.7	71.7
GVWR (lb) — DRW, Max	13,000	13,000	13,000	13,000
Payload — Min, DRW	5,850/5,800	5,720/5,640	5,410	5,140
Range (lb) — Max, DRW	6,520/6,480	6,250/6,230	6,020	5,770
Fuel Tank Capacity (gal)	52 rear-mounted (std)/22 mid-mounted (diesel only - opt)			

⁽¹⁾All dimensions are in inches unless otherwise noted.

Ram 3500 Chassis Cab is assembled at the Saltillo, Mexico, plant.

DIMENSIONS⁽¹⁾/SPECIFICATIONS

Ram 4500/5500 Chassis Cabs⁽²⁾

Exterior	Regular Cab 60" CA (4x2/4x4)	Crew Cab 60" CA (4x2/4x4)	Regular Cab 84" CA (4x2/4x4)	Crew Cab 84" CA (4x2/4x4)	Regular Cab 120" CA (4x2/4x4)	Regular Cab 108" CA (4x2/4x4)
Wheelbase	144.4	173.3	168.4	197.1	204.2	192.2
Cab to axle (CA)	60.1	60.1	84.1	84.1	119.9	107.9
Overall length	234.3	263.2	258.3	287.2	294.3	282.3
Overall body width	78.9	78.9	78.9	78.9	78.9	78.9
Overall height (curb weight)	79.7	80.1	79.5	79.9	79.6	79.4
Tire Track						
— Front	76.0	76.0	76.0	76.0	76.0	76.0
— Rear	73.6	73.6	73.6	73.6	73.6	73.6
Fuel Tank Capacity (gal)	52 rear (std)/22 mid-mounted (opt)					
Turning Diameter	41.7	49.2	47.95	55.7	57.2	54.09
GVWR (lb) (4500) (up to)	16,000	16,500	16,500	16,500	16,500	16,500
GVWR (lb) (5500) (up to)	18,750	8,750	19,500	19,500	19,500	19,500
GCWR (lb)	26,000	26,000	26,000	26,000	26,000	26,000
GAWR (lb)						
— Front	7,000	7,000	7,000	7,000	7,000	7,000
— Rear (up to)	13,500	13,500	13,500	13,500	13,500	13,500

⁽¹⁾All dimensions are in inches unless otherwise noted.

⁽²⁾Based on preliminary information. Dodge Ram 4500 and 5500 are assembled at the Saltillo, Mexico, plant.

DIMENSIONS⁽¹⁾/SPECIFICATIONS

Ram 3500/4500/5500 Chassis Cabs

All Ram Interiors	Regular Cab	Crew Cab
Head Room (front/rear)	40.3	41.0/39.9
Hip Room (front/rear)	62.9	63.2/63.2
Shoulder Room (front/rear)	66.0	66.0/65.7
Leg Room (front/rear)	41.0	41.0/40.3
Seating Capacity	3	6

⁽¹⁾All dimensions are in inches unless otherwise noted.

STANDARD ON ALL 2011 RAM CHASSIS CABS

- **Air Bags⁽¹⁾** — Multistage driver and front-passenger
- **Alternator** — 160-amp HEMI V8; 180-amp diesel
- **Assist Handle** — Driver and passenger-side
- **Battery** — 730-amp (two on diesel)
- **Brakes** — Power-assisted four-wheel disc, antilock
- **Cluster** — Instrument, with tachometer and 120-mph speedometer
- **Engine Cooling** — Heavy-duty
- **Fuel Tank** — 52-gallon, rear
- **Headlamps** — Halogen
- **Insulation** — Dash liner, floor tunnel
- **Radio** — AM/FM stereo radio with CD player
- **Seat Belts** — Front, height-adjustable shoulder
- **Steering** — Power, recirculating ball/tilt
- **Storage** — Rear, underseat compartment (Crew Cab models only)
- **Windshield Wipers** — Variable-intermittent

⁽¹⁾Always use seat belts. Remember, a backseat is the safest place for children 12 and under.

EXTERIOR COLORS

Bright Silver Metallic	Bright White	Brilliant Black Crystal Pearl	Deep Cherry Red Crystal Pearl	Deep Water Blue Pearl
Flame Red	Hunter Green Pearl	Mineral Gray Metallic	Rugged Brown Pearl	White Gold Metallic

SPECIAL LOW VOLUME PAINT COLORS⁽¹⁾

Black	Bright Red	Dark Brown	Detonator Yellow	Light Cream	Light Green	Omaha Orange	School Bus Yellow	Timberline Green Pearl	Yellow
-------	------------	------------	------------------	-------------	-------------	--------------	-------------------	------------------------	--------

⁽¹⁾Low volume paint colors are only available with Dark Slate Gray/Medium Graystone interior.

Dodge, Ram, Ram's Head Logo, HEMI, Laramie, Quad Cab, and Uconnect are registered trademarks of Chrysler Group LLC. Chrysler Group LLC reserves the right to make changes at any time, without notice or obligation. All product specifications are based on authorized information as of 4/15/10. Photographs are for representational purposes only. Bluetooth® word mark and logo are registered trademarks and are owned by Bluetooth SIG, Inc. Cummins is a registered trademark of Cummins, Inc. Alpine is a registered trademark of Alpine Electronics.

RAM 3500/4500/5500 CHASSIS CABS



TRIM COMBINATIONS

Exterior Colors	Interior Colors				
	ST	SLT		Laramie	
	Dark Slate Gray/ Medium Graystone	Dark Slate Gray/ Medium Graystone	Light Pebble Beige/ Bark Brown	Dark Slate Gray	Light Pebble Beige/ Bark Brown
Bright Silver Metallic	•	•		•	
Bright White	•	•	•	•	•
Brilliant Black Crystal Pearl	•	•	•	•	•
Deep Cherry Red Crystal Pearl	•	•	•	•	•
Deep Water Blue Pearl	•	•	•	•	•
Flame Red	•	•			
Hunter Green Pearl	•	•	•	•	•
Mineral Gray Metallic	•	•	•	•	•
Rugged Brown Pearl	•	•	•	•	•
White Gold Metallic	•	•	•	•	•

POWERTRAINS

Engines	Transmissions	ST Reg/Crew	SLT Reg/Crew	Laramie Crew
5.7L HEMI® with VVT (E2C) (3500 only)	5-Speed Automatic (DGQ)	26A	26G	26H
6.7L Cummins® Turbo Diesel I-6 (ETJ)	6-Speed Manual (DEG)	2EA	2EG	2EH
6.7L Cummins Turbo Diesel I-6 (ETJ)	AISIN 6-Speed Automatic (DG3)	2GA	2GG	2GH

SELECTED FEATURES & OPTIONS

Features	ST Reg/Crew	SLT Reg/Crew	Laramie Crew
Alternator – 160-amp (BAB) (HEMI V8 only)	•	•	•
– 180-amp 4x4 only (BAD) (included on HEMI V8 models with Heavy-Duty Snowplow Prep Group; included with Diesel Engine)	P	P	P
– 220-amp 4x4 only (BAJ) (included on diesel-equipped models with Heavy-Duty Snowplow Prep Group; included with Ambulance Prep Group)	P	P	P
Axles	P	P	P
3500			
– Front, 5,500-lb GAWR (included with SRW Group, requires diesel engine) (DJB)			
– Front, 5,500-lb GAWR with hub extension (DRW models only) (DJE)	•	•	•
– Rear, antispin differential (DSA)	•	•	•
– Rear, 3.42 ratio (DMR) (diesel models only)	O	O	O
– Rear, 3.73 ratio (DME) (diesel models only)	O	O	O
– Rear, 4.10 ratio (DMF) (standard with gas, optional with diesel)	•/O	•/O	•/O
– Rear, 11.50" (included with SRW Group) (DRQ)	P	P	P
– Rear, 11.50" (DRW models only) (DRX)	•	•	•
4500/5500	•	•	•
– Front, 10.8-inch, 7,000-lb GAWR (DJP)			
– Rear, antispin differential (DSA)	•	•	•
– Rear, 4.10 ratio (requires manual transmission; 4500 models only) (DMF)	•	•	•
– Rear, 4.44 ratio (optional on 4500, standard on 5500) (DMS)	O/•	O/•	O/•
– Rear, 4.88 ratio (requires automatic transmission) (DMK)	O	O	O
– Rear, Dana® S111 (12,000-lb GAWR on 4500) (13,500-lb GAWR on 5500) (DME)	•	•	•
Battery – 730-amp (BCN)	•	•	•

SELECTED FEATURES & OPTIONS

Features (cont.)	ST Reg/Crew	SLT Reg/Crew	Laramie Crew
Diesel Exhaust Brake – Included with 6.7L Cummins® engine (NEN)	P	P	P
Engine Block Heater – Optional with HEMI® V8, included with Cold Weather Group (NHK)	O/P	O/P	O/P
Engine Cooling – Heavy-duty (NMC)	•	•	•
Fuel Tank – 52-gallon rear (NFH)	•	•	•
– 22-gallon mid-mounted (diesel only) (NFA)	O	O	O
Shock Absorbers – Front, heavy-duty (SFB)	•	•	•
– Rear, heavy-duty (SGB)	•	•	•
Skid Plate – Transfer case (4x4 only; included with Heavy-Duty Snowplow Prep Group) (XEF)	O/P	O/P	O/P
Stabilizer Bar – Front (SHA)	•	•	•
Steering – Power, recirculating ball (SBE)	•	•	•
Tow hooks – Optional with gas engine, included with diesel engine (XEA)	O/•	O/•	O/•
Transfer Case – Manual shift, part-time T-case, 4x4 only (DH1)	•	•	
– Electric shift, part-time T-case, 4x4 only (DH3)		O	•
Exterior Features			
Badging – SLT (MTD)		•	
– Laramie (MTE)			•
Bumpers – Front, Dark Gray (MCC)	•		
– Front, chrome (included with ST Décor Group) (MCT)	P	•	•
Fascia – Front, headlamp-filler Black (standard on all 4500 and 5500 models) (MCJ)	•	•	•
– Front, headlamp-filler body-color (3500 only) (MCM)		•	•
Fog Lamps – (LNJ)		O	•
Grille – Chrome surround, Black insert grille (MFD)	•	•	
– Chrome surround, chrome insert (MF1)			•
Headlamps – Automatic (LMG)	•	•	•
– Halogen (LMA)	•	•	
– Quad halogen (LME)			•
Lamps, Exterior – Cab clearance (LNC)	•	•	•
Mirrors	•		
Exterior			
– Folding trailer tow, manual, Black, Regular Cab only (GPD)			
– Power trailer tow, heated, manual folding, Black, includes exterior courtesy lamps and supplemental turn signal (standard on Crew Cab models; included with Power Accessory or Power and Remote Entry Groups) (GPG)	P/•	•	
– Power trailer tow, heated, manual folding, Black, includes exterior courtesy lamps and supplemental turn signal (GP1) (late availability 2/11)	O	O	
– Power multifunction trailer tow, heated, manual folding, chrome, includes position memory, exterior courtesy lamps and supplemental turn signal (GPC)			•
– Power multifunction trailer tow, heated, chrome, includes position memory, exterior courtesy lamps and supplemental turn signal (GP2) (late availability 2/11)			O
Monotone Paint (APA)	•	•	•
Tires	P	P	P
3500			
– LT265/70R17E BSW All-Season (included with SRW Group) (TT3)			
– LT265/70R17E OWL on/off road (SRW models only) (TT5)	O	O	O
– LT235/80R17E BSW All-Season (DRW models only) (TPY)	•	•	•
– LT235/80R17E OWL on/off road (4x4 DRW models only) (TP9)	O	O	O
– Spare, full-size (TBB)	O	O	O

RAM 3500/4500/5500 CHASSIS CABS



SELECTED FEATURES & OPTIONS

Features (cont.)	ST Reg/Crew	SLT Reg/Crew	Laramie Crew
Tires (cont.)	•	•	•
4500/5500			
– 225/70R19.5G BSW All-Position (4x2 models only) (TUV)			
– 225/70R19.5G BSW All-Position front, rear traction (standard on 4x4; optional on 4x2) (TUV)	•/O	•/O	•/O
– 225/70R19.5G BSW All-Traction (4x4 only) (TUZ)	O	O	O
– Spare, full-size (TBB)	O	O	O
Wheels	P		
3500			
– 17 x 7.5-inch styled steel, painted Argent (included with SRW Group) (WD2)			
– 17 x 8.0-inch steel chrome-clad (SRW Group only) (WGS)	O	P	
– 17 x 8.0-inch cast aluminum (SRW Group only) (WFK)			P
– 17 x 6-inch Argent steel (DRW models only) (WFO)	•		
– 17 x 6-inch steel chrome finish (DRW models only) (WD4)	O	•	
– 17 x 6-inch aluminum (DRW models only) (WF7)		O	•
4500/5500	•	•	
– 19.5 x 6.0-inch steel (WP3)			
– 19.5 x 6.0-inch polished aluminum (WP4)	O	O	•
Wheelwell Flares – Black (4500/5500 only) (K50)	•	•	•
Windshield Wipers – Variable-intermittent (JHA)	•	•	•
Interior Features			
Air Conditioning – Included with Ambulance Prep Group (HAA)	P	•	
– Dual-Zone Temperature Control (HAF)			•
Assist Handle – Driver and passenger-side (CSP)	•	•	•
Bezel – Center stack, Black (JBF)	•		
– Center stack, color-keyed (JBY)		•	
– Center stack, woodgrain insert (JBB)			•
Cigar Lighter – Included with Smoker's Group (JJA)	P	P	P
Cluster – Instrument, with tachometer and 120-mph speedometer (3500 only) (JAY)	•		
– Instrument, with display screen for vehicle information center (included with Trailer Brake Control Group or Cummins® Diesel engine) (JAT)	P/•	•	•
Console – Full-size floor center console (included with front bucket seats)		P	P
– Overhead with trip computer (CUN)		•	•
Door Locks – Manual, Regular Cab only (JE8)	•		
– Power (included in Power Accessory and Power and Remote Entry Groups) (JPB)	P/•	•	•
Floor Covering – Heavy-duty vinyl (CKJ)	•	O	O
– Carpet (CKE)	O	•	•
Floor Mats – Front, carpeted (Regular Cab; included with carpet on ST models) (CLA)	P	•	
– Front and rear, carpeted (Crew Cab; included with carpet on ST models) (CLE)	P	•	•
Mirrors	•	•	
Interior – Day/night manual (GNA)			
– Automatic-dimming rear view day/night (included with Light Group and Uconnect® Phone) (GNK)		P	•
– Passenger-side visor with mirror (GNM)	•	•	
– Illuminated visor passenger- and driver-side (included with Light Group) (GNC)		P	•
Pedals – Power adjustable (3500 only; requires automatic transmission) (XAP)		O	
– Power adjustable with memory (3500 only; requires automatic transmission) (XAM)			O
Pickup Box Delete – (XBC)	•	•	•

SELECTED FEATURES & OPTIONS

Features (cont.)	ST Reg/Crew	SLT Reg/Crew	Laramie Crew
Power Accessory Delay (JKY)	•	•	•
Power Outlet – Two 12-volt auxiliary (JJJ)	•	•	•
– 115-volt auxiliary (included with *M9, *MJ seats) (JKV)		P	•
Seats – Belt, front-shoulder height-adjustable (CGD)	•	•	•
– 10-way power driver (included with *M9 and *MJ seats) (JRT)		P	
– 10-way power driver with memory and 6-way power passenger seats (JRF)			•
– Heated, driver and front-passenger, includes heated steering wheel (CMA)			•
– Heated, second-row (included with *GJ bucket seats) (JPZ)			P
– Vinyl 40/20/40 split-bench front seat with folding center armrest/business console (Crew Cab models include folding rear bench seat trimmed in vinyl) (*TX)	•		
– Cloth-trimmed 40/20/40 split-bench front seat with folding center armrest/business console (Crew Cab models include folding rear bench seat trimmed in cloth) (*V9)	O	•	
– Premium cloth-trimmed 40/20/40 split-bench front seat, power 10-way driver seat, power lumbar adjust, folding center armrest/business console with center seat cushion storage, 115V auxiliary power outlet (included with Popular Equipment Group; Crew Cab models include 60/40 split-folding rear bench seat) (*M9)		O	
– Premium cloth-trimmed low-back bucket seats, power 10-way driver seat, power lumbar adjust, fixed center console, 115V auxiliary power outlet (Crew Cab models include 60/40 split-folding rear bench seat trimmed in cloth) (*MJ)		O	
– Leather-trimmed 40/20/40 split-bench heated front seats with power 10-way/memory for driver and power 6-way passenger seat, power lumbar adjust, front center seat cushion storage and folding center armrest/business console, 115V auxiliary power outlet (Crew Cab models include 60/40 split-folding rear bench seat trimmed in vinyl) (*VL)			•
– Leather-trimmed low-back, ventilated and heated bucket seats, includes power 10-way driver and power 6-way passenger, power lumbar adjust, fixed center console, 115V auxiliary power outlet, heated 2nd-row seats on Crew Cab models (Crew Cab models include 60/40 split-folding rear bench seat trimmed in vinyl) (*GJ)			O
Speed Control – Included with diesel engine or Trailer Brake Control Group (NHM)	P/O/•	•	•
Steering – Tilt column (SUA)	•	•	•
Steering Wheel – 4-spoke, urethane (SCF)	•	•	
– Leather-wrapped with remote audio control buttons (SCV)		•	•
– Heated (included with heated seats) (NHS)			•
Storage – Front-seat center cushion (included with *M9) (CVH)		P	•
– Front, behind seat (Regular Cab only) (CU3)	•	•	
Three Blink – Turn signal lane-change feature	•	•	•
Tip Start – Included with automatic transmission	P	P	P
Visors – Front-passenger, with mirror (GNM)	•	•	
– Driver and front-passenger, with illuminated vanity mirrors (included with Light Group) (GNC)		P	•
Windows	•		
– Manual (JF8) (Regular Cab only)			
– Power, front with driver's one touch down (Regular Cab only; included with Power Accessories and Power Remote Entry Groups) (JPY)	P	•	
– Power, front and rear with driver's one touch down and up (Crew Cab models only) (JP3)	•	•	•
– Rear backlight, fixed (included with rear defrost on Crew Cab models) (GJD)	•	•	
– Rear backlight, sliding (Regular Cab only) (GFD)	O	O	
– Rear backlight, power sliding (Crew Cab models only) (GFE)			•
Uconnect® Multimedia			
Media Center 130 Radio – AM/FM/CD radio with MP3/WMA support, audio jack and Voice Command ⁽¹⁾ of radio (when equipped with optional Uconnect Phone) (RES)	•	•	
Media Center 430 Radio – AM/FM radio with MP3/WMA support, 30GB hard drive with 6,700 song capacity, CD/DVD player, 6.5-inch touch screen, SIRIUS® Satellite Radio, audio jack and Voice Command ⁽¹⁾ (RBZ)		O	•

RAM 3500/4500/5500 CHASSIS CABS



SELECTED FEATURES & OPTIONS

Features (cont.)	ST Reg/Crew	SLT Reg/Crew	Laramie Crew
Media Center 430N Radio – AM/FM/CD/DVD ⁽²⁾ radio with MP3/WMA support, 6.5-inch touch screen, 30GB hard drive with 4,250 song capacity, SIRIUS Satellite Radio, audio jack, Voice Command, ⁽¹⁾ GPS Navigation, SIRIUS Traffic™ and Uconnect Phone ⁽¹⁾ (RHB)		0	0
Radio Controls – Steering wheel-mounted audio controls (included with leather-wrapped steering wheel) (RDZ)		•	•
SIRIUS Satellite Radio – (RSC)	0	•	•
Speaker System – 6 standard (RCG)		•	•
– Premium I speakers (included with RHB radio) (RCK)		P	•
Uconnect Phone ⁽¹⁾ – Hands-free calling with Address Sync, Bluetooth® and Voice Command ⁽¹⁾ (included with Media Center touch-screen radios) (RSP)	O/P	O/P	•
Uconnect Web – Internet connection and Wi-Fi Hotspot. Dealer-installed Authentic Ram Accessory by Mopar. (Subscription required; sold separately.)	0	0	0
Safety and Security			
Air Bags	•	•	•
– Multistage front ⁽³⁾ (CG3)			
– Driver air bag only ⁽³⁾ (CGT)	0	0	
Brakes – Power-assisted 4-wheel antilock disc (BRT)	•	•	•
Remote Keyless Entry – Controls for power door locks, illuminated entry system, panic alarm, includes 2 transmitters (included with Power and Remote Entry Group) (GXM)	P/O	•	•
Remote Start System – Requires automatic transmission (XBM)		0	0
Security Alarm – (LSA)		0	•
Sentry Key® Theft Deterrent – Engine immobilizer (GXX)	•	•	•
Trailer Brake Control – Fully integrated electronic (included with Trailer Brake Control Group) (XHC)	P/O	0	0
Package Groups			
Ambulance Prep Group – Includes 220-amp alternator, voltage-monitoring auto idle-up system and A/C on ST trim (AH2)	0	0	0
Cold Weather Group – Includes engine block heater and winter front grille cover (requires diesel engine) (ADE)	0	0	0
Heavy-Duty Snowplow Prep Group – Includes 180-amp alternator with gas engine (220-amp alternator with diesel engine) transfer case skid plate (3500 models require 4x4) (AHD)	0	0	0
Light Group – Includes sun visors with illuminated vanity mirrors, rear view auto-dimming mirror, glove box lamp, underhood lamp, rear dome lamp with on/off switch (ADA)		0	
Power Accessory Group – Regular Cab only, includes power windows, power door locks and power trailer, manual folding exterior mirrors (AJW)	0		
Power and Remote Entry Group – Regular Cab only, includes power windows, power door locks, power trailer, manual folding exterior mirrors and remote keyless entry (AJH)	0		
Rollback Carrier Group – Includes voltage-monitoring auto idle-up system (5500 Regular Cab models only) (AH1)	0	0	
Single Rear Wheel (SRW) Group – (3500 models only) (AR9)	0	0	0
Smoker's Group – Includes ashtray and cigar lighter (AWS)	0	0	0
ST Décor Group – Includes chrome front bumper (AMP)	0		
Trailer Brake Control Group – Includes integrated trailer brake controller, premium instrument cluster with EVIC and speed control (3500 only; requires HEMI® V8 engine) (AHE)	0		

• = Included. P = Available within package noted in parentheses. O = Optional. L = Fleet only option.

⁽¹⁾Requires Bluetooth® enabled mobile phone.

⁽²⁾In-dash DVD capability is not available in all states. See your dealer for details.

⁽³⁾Always sit properly in the seat with the seat belt fastened. Children 12 and under should always be in a backseat correctly using an infant or child restraint system or the seat belt positioned correctly for the child's age and weight.

NOTE: Some features and/or applications may be late availability.

Dodge, Ram, Ram's Head Logo, HEMI, Laramie, Sentry Key and Uconnect are registered trademarks of Chrysler Group LLC. Chrysler Group LLC reserves the right to make changes at any time, without notice or obligation. All product specifications are based on authorized information as of 4/15/10. Cummins is a registered trademark of Cummins, Inc. SIRIUS service available only in contiguous United States and D.C. Service available in Canada; see siriuscanada.ca. Subscription required after 12-month subscription included with vehicle purchase. Subscriptions governed by SIRIUS Terms & Conditions available at sirius.com. SIRIUS, XM and all related marks are trademarks of SIRIUS XM Radio Inc. and its subsidiaries. Bluetooth is a registered trademark of Bluetooth SIG, Inc. Dana is a registered trademark of Dana Limited.